
Application Temperature above 250°F?
No
No
No
Nitrile
Gasoline, Aromatic solvents, Hydraulic fluids, comp set, low temp flexibility
-30°F to 250°F, -70°F to 180°F
Neoprene
Ammonia, Ozone, ageing, Sunlight, chemical resistance
-35°F to 225°F
EPDM
Coolant, Water, Steam, Phosphate Ester,
-70°F to 250°F


Application Temperature above 250°F?
Yes
Yes
Yes
Yes
Fluorocarbon
Diesel, Gasoline, petroleum, solvents, lubes, Ozone, UV
-15°F to 400°F, -40°F to 400°F
Silicone
Oil, Acids, Dry Heat, Sunlight, Ozone, chemical resistance
-60°F to 450°F
Fluorosilicone
Jet Fuel, Gasoline, Fuel resistance, Alcohol
-90°F to 350°F
HNBR
Refrigerants, High Temp Hydraulics, Diesel, Automotive applications
-25°F to 300°F